LARG	5 HPU Group 10 - Extended Cab Short Box 8,600 GVWR 4x4  LARGE EXTENDED CAB PICKUP w/4-WHEEL DRIVE: 8,600 lb. GVWR minimum, 6-foot Straight Side Body, V-8 Engine,  Automatic Transmission				
Line	Base Vehicle Minimum Specifications	State Package			
Number		or Code Number			
Line 1	Wheelbase: Minimum 140 inches.	143.5	1		
	Air conditioning w/all required options.	STD			
Line 3	Tilt steering column, Automatic speed control.	STD			
	Wipers, intermittent.	STD			
Line 5	Rear step bumper.	STD			
Line 6	Engine: Base engine for model bid with specified options and accessories. If base is available as E85 flex-fuel, it must be provided. STATE: Cylinders_8Liters_6.0 Horsepower_360 Torque _280	L96	]		
Line 7	Power point.	STD			
Line 8	Radio, AM FM w/internal clock. Delete satellite radio if standard.	US8			
Line 9 Line 10	Power 4-wheel anti-lock brakes.  Interior trim package w/insulating headliner, full door and back of cab panels, dome lamp. Split bench seat,	STD AZ3	1		
Line 11	folding center armrest/storage box. Folding rear bench seat, all w/cloth upholstery.  Full floor covering, rubber preferred - if available it must be provided. If floor covering must be carpet, OEM floor	BG9	1		
Lino 12	mats must be provided. Tires, all-season radials, spare mounted under box.	QIZ	-		
	Rear axle, anti-spin differential. State standard ratio:_3.73	G80	1		
	Daytime running lights.	STD	1		
	Power windows.	STD	1		
Line 16	Power door locks with remote keyess entry.	STD			
	Transfer case with Hi/Lo ranges.	STD	1		
	Delete vehicle communication system (OnStar or equivalent) if standard.	UE0			
	State GVWR:	9200	-		
	State Payload Capacity:	3360	<u> </u>		
Line 21	BASE VEHICLE PRICE CONFIGURED AS PER ABOVE		\$24,449.57		
Line 22	Delivery Charge. Per mile charge for anywhere in the State of Iowa. Use \$0.00 format		\$0.30		
<b>Option</b>	ns List - Dealer must provide price for each option. (Prices are required to complete Bid - if	State Package	Option Price -		
	state STD, if part of a package state package code, if not available state N/A, if dealer installed/provided state DLR, if	or Code Number	MUST be provided		
	deduct, state as a negative (-) number, if cost is zero (0), enter '0'.)		provided		
	Il-naina block baatar	1/0=			
11:00 04	Engine block heater.	K05	\$63.75		
	Sliding rear window.	A48	\$212.50		
Line 25	Sliding rear window. Power driver's seat	A48 PCM	\$212.50 \$467.50		
Line 25 Line 26	Sliding rear window. Power driver's seat Trailer tow extendable mirrors.	A48 PCM DPN	\$212.50 \$467.50 \$204.00		
Line 25 Line 26 Line 27	Sliding rear window. Power driver's seat	A48 PCM	\$212.50 \$467.50 \$204.00 \$663.00		
Line 25 Line 26 Line 27 Line 28	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.	A48 PCM DPN Z82	\$212.50 \$467.50 \$204.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. 2 extra key sets, 4 total sets with each vehicle. Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature. Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Paint: Two-tone paint color scheme.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33	Sliding rear window. Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR& Upgrade Payload	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR & Upgrade Payload  Axles: optional lower ratio (higher numerically). State ratio4.10  Snow plow prep package. Increased capacity front suspension and other components necessary for increased	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR & Upgrade Payload Axles: optional lower ratio (higher numerically). State ratio 4.10  Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.  E85 FFV engine - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$85.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 39 Line 40	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR& Upgrade Payload  Axles: optional lower ratio (higher numerically). State ratio4.10  Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.  E85 FFV engine - include all required options and other pertinent information. STATE:  Cylinders Liters Horsepower Torque LIST OTHER  REQUIREMENTS:  Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$85.00 \$242.25		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 39 Line 40 Line 41	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR & Upgrade Payload Axles: optional lower ratio (higher numerically). State ratio4.10  Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.  E85 FFV engine - include all required options and other pertinent information. STATE:  Cylinders Liters Horsepower Torque LIST OTHER  REQUIREMENTS:  Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information.  STATE: Cylinders Liters Horsepower Torque LIST OTHER  REQUIREMENTS:  Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lb/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Torque Lite	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU  N/A IN BASE	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$242.25 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 40 Line 40 Line 41	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. 2 extra key sets, 4 total sets with each vehicle. Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature. Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Paint: Two-tone paint color scheme. Stability Control system, if available. 4 x 4 off-road suspension and undercarriage protection package. Shift-on-the-fly electric transfer case. Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box. Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR. Axles: optional lower ratio (higher numerically). State ratio 4.10. Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow. E85 FFV engine - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lb/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Horque LIST OTHER	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$242.25 \$0.00 \$242.25		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 39 Line 40 Line 41 Line 41 Line 42	Sliding rear window.  Power driver's seat  Trailer tow extendable mirrors.  Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.  2 extra key sets, 4 total sets with each vehicle.  Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.  Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262.  Paint: Two-tone paint color scheme.  Stability Control system, if available.  4 x 4 off-road suspension and undercarriage protection package.  Shift-on-the-fly electric transfer case.  Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.  Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR & Upgrade Payload Axles: optional lower ratio (higher numerically). State ratio4.10  Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.  E85 FFV engine - include all required options and other pertinent information. STATE:  Cylinders Liters Horsepower Torque LIST OTHER  REQUIREMENTS:  Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information.  STATE: Cylinders Liters Horsepower Torque LIST OTHER  REQUIREMENTS:  Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lb/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Torque Lite	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU  N/A  IN BASE	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$85.00 \$242.25 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 39 Line 40 Line 41 Line 42 Line 43 Line 43 Line 44	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. 2 extra key sets, 4 total sets with each vehicle. Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature. Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Paint: Two-tone paint color scheme. Stability Control system, if available. 4 x 4 off-road suspension and undercarriage protection package. Shift-on-the-fly electric transfer case. Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box. Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR  & Upgrade Payload Axles: optional lower ratio (higher numerically). State ratio _4.10 Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.  E85 FFV engine - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lb/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Full Floor Carpeting & OEM Mats if not provided in base above. DEDUCT COST: Delete anti-lock brakes.  DEDUCT COST: Delete Daytime running lights.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU N/A IN BASE N/A DELETE BG9	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$85.00 \$242.25 \$0.00 \$0.00		
Line 25 Line 26 Line 27 Line 28 Line 29 Line 30 Line 31 Line 32 Line 33 Line 34 Line 35 Line 36 Line 37 Line 38 Line 40 Line 41 Line 42 Line 43 Line 44 Line 44	Sliding rear window. Power driver's seat Trailer tow extendable mirrors. Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch. 2 extra key sets, 4 total sets with each vehicle. Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature. Paint: DOT Orange. GM 9W4, Ford W5684E, Dodge TY5262. Paint: Two-tone paint color scheme. Stability Control system, if available. 4 x 4 off-road suspension and undercarriage protection package. Shift-on-the-fly electric transfer case. Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box. Increased GVWR. Minimum 9,600 GVWR in lieu of 8,600 standard - include all required options and other pertinent information. STATE: Upgrade GVWR & Upgrade Payload Axles: optional lower ratio (higher numerically). State ratio 4.10. Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow. E85 FFV engine - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #1. Minimum 6.0L displacement - include all required options and other pertinent information. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lo/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Torque LIST OTHER FEQUIREMENTS: Engine upgrade #2. Turbocharged Diesel, minimum 6.4 liters. Must be rated minimum 325 Hp., minimum 560 lo/ft torque with HD Automatic Transmission. STATE: Cylinders Liters Horsepower Torque LIST OTHER REQUIREMENTS: Full Floor Carpeting & OEM Mats if not provided in base above.  DEDUCT COST: Delete anti-lock brakes.	A48 PCM DPN Z82 D.I. STD 9W4/01U/TGK N/A STD Z71 STD QXT STD GT5 VYU  N/A IN BASE  N/A DELETE BG9 N/A	\$212.50 \$467.50 \$204.00 \$663.00 \$75.38 \$0.00 \$0.00 \$0.00 \$701.25 \$0.00 \$170.00 \$4242.25 \$0.00 \$242.25 \$0.00 \$0.00		

BID ID: HPU 10.1 - DAS					
DAS Required Options (Prices are required to complete Bid - if standard state STD, if part of a package state package			Option Price -		
code, if not available state N/A, if dealer installed/provided state DLR, if cost is a deduct, state as a negative (-) number, if cost		or Code Number	MUST be		
is zero (0), enter '0'.)			provided		
Line 23	Engine block heater.	K05	\$63.75		
Line 24	Sliding rear window.	A48	\$212.50		
Line 27	Trailer tow package: Class IV receiver hitch, 2-inch shaft. 7-wire trailer wiring receptacle at hitch.	Z82	\$663.00		
Line 29	Gauge Package: Tachometer, oil pressure, coolant temperature, voltmeter and/or transmission temperature.	STD	\$0.00		
Line 31	Paint: Two-tone paint color scheme.	N/A	\$0.00		
Line 33	4 x 4 off-road suspension and undercarriage protection package.	Z71	\$701.25		
Line 34	Shift-on-the-fly electric transfer case.	STD	\$0.00		
Line 35	Tires: Highest load capacity available all-terrain (no all-season) radial. Spare mounted under box.	QXT	\$170.00		
Line 38	Snow plow prep package. Increased capacity front suspension and other components necessary for increased load caused by installation of a front snow plow.	VYU	\$242.25		
Line 42	Full Floor Carpeting & OEM Mats if not provided in base above.	DELETE BG9	\$0.00		
LITIC 42	Estimated Quantity:	· · · · · · · · · · · · · · · · · · ·			
Delivered FOB Factory Direct: Department of Administrative Services, Des Moines.		Delivery	Delivery		
	Delivery Cost - Enter miles in whole number, MapQuest city to city -	Miles	Cost		
Line 47	Cost will be automatically calculated	0	\$0.00		
Line 48	TOTAL PRICE EACH: Add Base Cost, Options, and Delivery Cost				
	Below Information Must Be Provided to complete LCC				
	Vehicle Make (i.e.: Ford, Chevrolet, etc.):				
	Vehicle Common Model Name (i.e.:Taurus, CK1500, Uplander, etc.):	etc.): CK2500			
	Vehicle Exact Model Code (i.e.: R44, CC15653, RSKL52, etc.):				
	Vehicle Trim Package Common Name (i.e.: XLT, SE, LT, etc.):				
	Exact Trim Package Code Designation (i.e.: 617A, 25J, 2LT, 1WT, etc.):	1LT			
	American Made (Yes/No):	YES			
	EPA Highway MPG Rating (if applicable):	Gas = 18	E85 = 13		